




Van Seumeren Holland B.V. situated in De Meern, Holland, known all over the world for its on-shore activities, last year started its activities off-shore.

It is therefore that we want to introduce ourselves.

Van Seumeren Holland B.V. has been active in the field of vertical and horizontal transport since April 1966. At this moment, 25 years later, the company possesses amongst all other equipment, more than 100 cranes and it gives employment to more than 280 employees.

In addition to the De Meern Head Office, the company has subsidiaries in the Rotterdam area, at the Hoogovens and in Sluiskil and with our foreign subsidiaries - Belgium, France, Germany, England, Canada, Singapore and Malaysia - we can ensure all of our customers optimum service.

All our cranes, operating off-shore, are covered by the Lloyd's security qualifications.



President: J.F. van Seumeren





Our latest investment the *Demag CC 4800*, which has started its activities in December 1991 in Indonesia. Capacity off-shore: max. 4.880 ton/meter

11.700 ton/meter (including superlift)
Capacity on-shore: 800/1600 tons (including superlift)

## **Modern Equipment**

- Mobile lattice boom cranes
- Telescopic cranes
- Crawler cranes
- Pedestal cranes
- Selfpropelled computer-operated platform trailers with a load capacity of 30 tons per axieline
- Conventional multiple-axles platform trailers
- Low loaders
- Semi-low loaders
- Hydraulic jacks
- Skidding equipment
- Inflatable air bags





Demag MPC 2000
Capacity off-shore: max. 2.000 ton/meter
3.800 ton/meter
(including superlift)


Capacity on-shore: 300/400 tons (including superlift)



The Demag MPC 2000, transported to the pontoon at Dieppe (France) by order of Smit International - Rotterdam



Demag CC 2000
Capacity off-shore: max. 2.000 ton/meter
3.800 ton/meter (including superlift)
Capacity on-shore: 300/400 tons (including superlift)



By order of Transocean Drilling working at the North Sea







This crane, the MPC 1200 is at work by order of the European Storebaelt Group in Nyborg Denmark.





The crane is situated on the pontoon "Hercules" built up with a jib of 6 meter, maximum radius of 48 meter; 48 meter main boom and a counterweight of 50 tons.

Demag MPC 1200
Capacity off-shore: max. 1.200 ton/meter
3.010 ton/meter (including superlift)
Capacity on-shore: 250/300 tons (including superlift).








The crane is situated on the pontoon "Hercules" built up with a jib of 6 meter, maximum radius of 48 meter; 48 meter main boom and a counterweight of 50 tons.

Demag MPC 1200
Capacity off-shore: max. 1.200 ton/meter
3.010 ton/meter (including superlift)
Capacity on-shore: 250/300 tons (including superlift).









By order of Sud-Marine - France we have done the load-off of several modules with weights of 700 tons with destination Statoil Norway.



Our Kamag self-propelled, computerized transporters are able to drive in a circle (complete on the spot 360 degrees turn).



### THE NETHERLANDS DE MEERN (HEADOFFICE)

Phone (0)3406-95111 Fax (0)3406-65128 Telex 47682

#### ROTTERDAM/BOTLEK

Phone (0)1819-16133 Fax (0)1819-13057

#### **IJMUIDEN**

Phone (0)2510-29341 Fax (0)2510-24488

#### SLUISKIL

Phone (0)1157-2600 Fax (0)1157-2639

### FOREIGN OFFICES BELGIUM - GENT

Phone 091-459891 Fax 091-455376 Telex 12643

#### FRANCE NORD - PARIS

Phone (1)47176558 Fax (1)47891869 Telex 615759

#### FRANCE SUD - MARSEILLE

Phone (16)42739042 Fax (16)42738089

#### **ENGLAND - ASHINGTON**

Phone 0670-856666 Fax 0670-856582 Telex 538153

#### CANADA - ONTARIO

Phone (416) 363-8855 Fax (416) 363-2068

#### MALAYSIA

Phone 07-246353 Fax 07-246353

### JOINT VENTURES GERMANY - MERSEBURG SEU-M-IMO

Phone 442-264345 Fax 442-264345

#### FRANCE - PARIS P.V.S. G.E.I.E.

Phone (1)47176559 Fax (1)47891869

# THE NETHERLANDS - DE MEER SEUVELHOF V.O.F.


Phone (0)3406-95111 Fax (0)3406-65128

#### SINGAPORE VAN SEUMEREN YEW CHOON

Phone 2953318 Fax 2963319 Telex 35454

The PC/CC 4200 is one of our two latest mobile cranes. Capacity off-shore: max. 4.200 ton/meter

9.070 ton/meter including superlift Capacity on-shore: 800/1200 tons (including superlift)





Headoffice + yard at "De Meern"

